For all your bakery needs



- go green with Gram









Your premium partner for professional refrigeration

Product programme 2009





### Optimal accessibility



TYPE	BAKER M 625 BAKER F 62 Refrigerator Bakery Storage F	
Temperature range, °C	-5/+12	-25/-5
Volume (gross, litres)	625	
Number of plates 25 mm distance	49 (60 x 40 cm)	
Connection	230V, 50 Hz, 263 W	230 V, 50 Hz, 425 W
Dimensions (W x D x H) mm	815 x 731 x 2000	
Energy consumption	1,0 kWh/24h	4,0 kWh/24h

Optional without compressor, for connection to remote refrigeration unit.

Gram reserves the right to make product alterations and can not be held responsible for any printing errors or omissions.

# The 625 Series Plate size 60 x 40 cm

#### **BAKER 625**

### - ideal for central production and individual units

The BAKER 625 are refrigerators (M) and storage freezers (F) with a high storage capacity and a simple to use control system. The refrigerator is equipped with humidity control (for chocolate products) and a thawing function.

- Energy saving potential of up to £500 per year/cabinet.
- Unique air distribution system prevents product drying and ensures the cabinet maintains a correct and uniform temperature throughout.
- Electronic control with built-in alarms and emergency programs for optimal food protection.
- Made of stainless steel with 20 pairs of supports for bakery plates 60 x 40 cm side on.
- · 2 bright halogen lamps.
- Automatic door closing, right hand hinged reversible door with lock.
- Replaceable door gasket.
- · Options:
  - "Berliner Plate size" (63 x 47 cm), special supports for transport baskets.



www.gram-commercial.com



### The 500 Series

Plate size 60 x 40 cm





### BAKER M/F 500 - optimal storage where space is limited

The BAKER 500 refrigerator (M) and freezer (F) has the same functions as the BAKER 625 and 930.

It offers reliable storage combined with a slim line profile, and a capacity of 500 litres. Internally it is equipped with 25 pairs of supports for 60 x 40 cm plates. Comes equipped with a foot pedal opener. Special supports for transport baskets are available.



TYPE	BAKER M 500 Refrigerator	BAKER F 500 Bakery Storage Freezer
Temperature range, °C	-5/+12	-25/-5
Volume (gross, litres)	500	500
Number of bakery plates 25 mm distance	53 (60 x 40 cm)	53 (60 x 40 cm)
Connection	230 V, 50 Hz, 323 W	230 V, 50 Hz, 425 W
Dimensions (W x D x H) mm	600 x 806 x 2160	600 x 806 x 2160
Energy consumption	0,9 kWh/24h	3,4 kWh/24h

Optional without compressor, for connection to remote refrigeration unit.

Cam reserves the right to make product alterations and can not be held responsible for any printing errors or omissions.



Innovative and functional food storage

### The 930 Series

Plate size 60 x 80 cm 60 x 40 cm





#### BAKER M/F 930 - the flagship product

The BAKER 930 cabinets are storage refrigerators (M) and storage freezers (F) with a high storage capacity and a simple to use control system. The storage refrigerator (M) is equipped with humidity control (chocolates etc.) and a thawing function.

- Energy saving potential of up to £500 per year/cabinet.
- Unique air distribution system prevents product drying up and ensures the cabinet maintains a correct and uniform temperature throughout.
- Electronic control with built-in alarms and emergency programs for optimal food protection.
- Made of stainless steel with 25 pairs of supports for bakery plates 80 x 40 cm and 60 x 40 cm.
- Special supports for transport baskets available as optional extra.
- · 2 bright halogen lamps.
- Automatic door closing, right hand hinged reversible door with lock.
- · Foot pedal opener.



www.gram-commercial.com















### BAKER GA 930 - the flexible Freezer/ Prover

The GA 930 is, with its electronic control system and steam generator, a very flexible freezer / prover, ideal for use in bakeries and supermarkets with bakery shops. The Gram controller facilitates the precise setting of time and temperature throughout the whole cycle, including air humidity control in the retarding and proving phases.

### BAKER SF 930 - the efficient bakery Quick Chiller/ Freezer

The SF 930 can be applied as:

- · Bakery Quick Chiller or
- · Bakery Quick Freezer or
- · Bakery Storage Refrigerator or
- · Bakery Storage Freezer or
- Thawing cabinet according to HACCP
- Exceptionally well suited for long-term storage of frozen dough

ТҮР	BAKER M 930 Refrigerator	BAKER F 930 Storage Freezer	BAKER SF 930 Quick Chiller / Freezer	BAKER GA 930 Freezer / Prover*
Temperature range, °C	-5/+12	-25/+10	-30/+10	-25/+40
Volume (gross, litres)	930	930	930	930
Number of plates 25 mm distance	53 (60x80 cm) / 106 (60x40 cm)			
Connection	230 V, 50 Hz, 472 W	230 V, 50 Hz, 673 W	230 V, 50 Hz, 1482 W	230 V, 50 Hz, 1815 W
Dimensions (W x D x H) mm	780 x 1046 x 2160	780 x 1046 x 2160	780 x 1046 x 2160	780 x 1046 x 2240
Energy consumption	2.7 kWh/24h	6.3 kWh/24h		

Optional without compressor, for connection to remote refrigeration unit.

Gram reserves the right to make product alterations and can not be held responsible for any printing errors or omissions.

\* Outlet for and supply of water must be provided at site.





Innovative and functional food storage



### The 1500 Series

#### **BAKER 1500**

### Roll-in storage refrigerators and freezers

- Low cost of purchase and installation with this compact and ready-to-use cabinet.
- · Minimal energy consumption utilising environmentally friendly technology.
- Unique air distribution system prevents product drying and ensures the cabinet maintains a correct and uniform temperature throughout.
- · Roll-in stainless heated floor with drive-in ramp as standard.
- · Impact cushions to protect the internal cabinet.
- Electronic control with built-in alarms and emergency programs for optimal food protection.
- · Replaceable door gasket.
- · Automatic thawing cycle.
- Also available as a roll-through cabinet with solid or glass doors.

TYPE	BAKER M 1500 CSG Roll-in Refrigerator	BAKER F 1500 CSG Roll-in Freezer
Temperature range, °C	-5/+12	-25/-5
Volume (gross, litres)	1422	1422
Connection	230 V, 50 Hz, 452 W	230 V, 50 Hz, 648 W
Dim. outside (W x D x H) mm	880 x 1084 x 2354	
Dim. inside (W x D x H) mm	720 x 895 x 1900	

Optional without compressor, for connection to remote refrigeration unit. Gram reserves the right to make product alterations and can not be held responsible for any printing errors or omissions.



www.gram-commercial.com









## Bakery Blast freezer KPS 40 / KPS 180





- · For quick freezing of dough and bake-off items.
- Powerful fans ensure an efficient air distribution.
- · Electronic controller with easy short cuts for ease of operation.
- The chill cycle can be controlled by time or core temperature.
- · Replaceable door gasket.

TYPE	BAKER KPS 40 SH* Blast Freezer	BAKER KPS 180 SF CS B** Blast Freezer
Temperature range, °C	-25/+10	-35/+20
Volume (gross, litres)	413	3400
Number of plates	10 plates (60x40 cm)	
Trolley		1 trolley for 60x80 cm plates
Connection	3x400 V, 50 Hz, 3500 W	-
Dim. outside (W x D x H) mm	800 x 830 x 1750	1800 x 1200 x 2235

\* Optional without compressor, for connection to remote refrigeration unit.

Designed as a cold room without compressor, available as an option.
Assembly and installation not included.

Gram reserves the right to make product alterations and can not be held responsible for any printing errors or omissions.





BAKER 610 is the latest addition to Gram's range of bakery cabinets. This product series is extremely environmentally friendly, being completely free from HFC.

### **Excellent Access**

### BAKER 610 - the economic bakery storage refrigerator and freezer

- Energy saving potential of up to £500 per year/cabinet.
- Unique air distribution system prevents product drying and ensures the cabinet maintains a correct and uniform temperature throughout.
- Electronic control with built-in alarms and emergency programs for optimal food protection.
- Exterior in stainless steel equipped with 20 pairs of supports for bakery plates 60 x 40 cm
- Option: Special supports for transport baskets.
   Equipped with 4 grey plastic-coated wire
- · Right hand hinged reversible door with lock
- Durable one piece moulded grey ABS inner lining with rounded corners. Hygienic and easy to clean.

in lock.			
ТҮРЕ	BAKER K 610 Refrigerator	BAKER M 610 Refrigerator with extended temperature range	BAKER F 610 Storage freezer
Temperature range,°C	+2/+12	-5/+12	-25/-5
Volume (gross, litres)	583	583	583
Connection	230 V, 50 Hz, 291 W	230 V, 50 Hz, 297 W	230 V, 50 Hz, 485 W
Dimensions (W x D x H) mm	695 x 868 x 1999	695 x 868 x 1999	695 x 868 x 1999
Energy consumption	0,9 kWh/24h	1,5 kWh/24h	3,4 kWh/24h

Optional without compressor, for connection to remote refrigeration unit. Gram reserves the right to make product alterations and can not be held responsible for any printing errors or omissions.





Gram UK Ltd 2 The Technology Centre London Road Swanley BR8 7AG Tel: 01322 616900 Fax: 01322 616901 E-mail: info@gramuk.co.uk

www.gram-commercial.com

#### - conscientious environmental concern ...

- · Using HFC-free refrigerants
- · HFC-free insulation
- · Extremely low energy consumption due to utilising "state of the art" technology
- · Energy saving potential of up to £500 per year/cabinet
- · Using natural refrigerants



BAKER 610